

AEO Safety and Security Guidelines, Section I.2.5: Warehouse Keeper

3.0.0 Physical Security

3.1.0 External Boundaries

3.1.1 All buildings shall be constructed of materials which resist unlawful entry and protect against external intrusion.

3.1.2 All external and internal windows, gates and fences shall be secured with locking devices or alternative access monitoring or control measures such as internal/external anti-burglar alarm systems or CCTV (closed circuit TV systems).

3.2.0 Gates and Gateways

3.2.1 All gates or gateways at the premises shall be identified.

3.2.2 When the gates or gateways are not locked, they shall be manned or guarded with alternative access monitoring or control measures.

3.3.0 Locking Devices

3.3.1 Inner and outer doors, windows and gates shall be secured with locks.

3.3.2 Locks used to secure inner and outer doors, windows and gates shall be identified by type.

3.4.0 Lighting

3.4.1 Where appropriate, adequate lighting shall be provided.

Select	Comment
Compliant	Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur imperdiet tempor congue. Nam luctus justo id enim rutrum tristique. Donec tristique, libero sit amet varius fringilla, nulla risus porta turpis, quis sollicitudin felis quam quis enim.
Partially Compliant	Fusce vitae dolor vitae mauris placerat porttitor et in turpis. Etiam consequat vulputate rhoncus. Aenean consequat quam interdum enim eleifend eleifend.
Select	Comment
Partially Compliant	Fusce vel varius odio. Ut pretium nulla nisi, ut pharetra metus ultrices malesuada.
Not Compliant	Duis ac ex at leo mollis mattis. Vivamus dolor orci, mollis vel arcu ultrices, sagittis egestas odio. Nullam tincidunt semper nisl at condimentum.
Select	Comment
Compliant	Suspendisse id imperdiet velit. Proin nisl arcu, convallis id nibh quis, condimentum aliquet libero. Vestibulum hendrerit a leo quis condimentum. Duis ac turpis in ligula consectetur tincidunt.
Partially Compliant	Donec auctor, ligula ultricies maximus viverra, metus nulla malesuada lorem, sed pulvinar nisl orci ut massa.
Select	Comment
Compliant	Morbi quis malesuada orci. Phasellus ac maximus arcu. Sed molestie pharetra pharetra. Maecenas scelerisque ac ligula in egestas. Vivamus vel nisl mollis, ultricies elit vel, accumsan eros.

AEO Safety and Security Guidelines, Section I.2.5: Warehouse Keeper

3.5.0 Access to Keys

3.5.1 There shall exist documented procedures controlling access to the keys.

3.5.2 Only a limited number of persons shall be authorized to have access to the keys.

3.5.3 Keys shall be kept in a specially appointed place.

3.5.4 A person shall be held responsible for the keys.

3.5.5 There shall be a method of registering who is using the keys, when they were taken, by whom, and when they are brought back to the appointed place.

3.6.0 Internal Physical Security

3.6.1 There shall be established internal physical security measures?

Select	Comment
Not Compliant	Phasellus sed sagittis urna. Ut volutpat elementum metus pellentesque scelerisque. Integer nulla arcu, maximus et mauris eget, sollicitudin eleifend dolor. Proin id sapien nibh. Integer quam purus, consectetur a ornare et, eleifend nec nibh.
Compliant	Mauris gravida at velit in tincidunt. Morbi vitae nisi vehicula, commodo neque eu, luctus leo.
Exceeds Requirement	Phasellus ac maximus arcu. Sed molestie pharetra pharetra. Maecenas scelerisque ac ligula in egestas. Vivamus vel nisl mollis, ultricies elit vel, accumsan eros.
Partially Compliant	Suspendisse id imperdiet velit. Proin nisl arcu, convallis id nibh quis, condimentum aliquet libero. Vestibulum hendrerit a leo quis condimentum. Duis ac turpis in ligula consectetur tincidunt. Morbi quis malesuada orci.
Partially Compliant	Phasellus ac maximus arcu. Sed molestie pharetra pharetra. Maecenas scelerisque ac ligula in egestas
Select	Comment
Partially Compliant	Etiam consequat vulputate rhoncus. Aenean consequat quam interdum enim eleifend eleifend. Duis in nisl quis dui lobortis elementum. Fusce vel varius odio. Ut pretium nulla nisi, ut pharetra metus ultrices malesuada. Duis ac ex at leo mollis mattis. Vivamus dolor orci, mollis vel arcu ultrices, sagittis egestas odio. Nullam tincidunt semper nisl at condimentum.